

# Sound Control Window Systems

QuietLite™ Series

[Details](#) | [Gallery](#) | [Performance](#)  
Choose another product line

## Performance

### Acoustical Performance Data Sound Transmission Loss Data, dB

1/3 Octave Band Center Frequency, Hz	100	125	160	200	250	315	400	500	630	800	1K	1.25K	1.6K	2K	2.5K	3.15K	4K	5K	STC
<b>Model U</b>																			
<b>U-4-43</b>	25	27	28	32	36	36	39	40	43	45	50	52	49	41	41	46	52	55	43
<b>U-11-51</b>	37	36	37	36	40	42	46	47	51	55	57	59	57	54	57	58	59	59	51
<b>Model HM</b>																			
<b>HM-BRG-8-48</b>	40	37	36	40	44	44	46	47	49	50	45	44	46	52	55	54	53	56	48
<b>HM-11-53</b>	39	34	40	39	43	46	51	52	53	55	54	54	57	60	64	66	67	67	53
<b>HM-11-54</b>	38	38	38	42	45	47	49	49	53	55	55	57	58	59	57	58	59	59	54
<b>Model SF</b>																			
<b>SF-11-57</b>	-	42	43	48	48	52	54	55	56	54	53	57	58	59	59	61	62	-	57

All tests performed by Riverbank Acoustical Laboratories, an independent NVLAP accredited acoustical testing facility. The test method conforms with ASTM Designations E90-02 and E413-87.